Amendments to the Claims:

Claims 1, 11, 12, 14, 16-20, 30, 31, 33, and 35-41 have been amended. This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1	1. (Currently Amended) A computer-implemented method of displaying a		
2	document using a browser, the method comprising:		
3	accessing the document;		
4	receiving information identifying a set of one or more concepts;		
5	determining a set of text patterns associated with the set of concepts, the set of		
6	text patterns comprising one or more text patterns associated with the one or more concepts in		
7	the set of concepts, wherein a plurality of text patterns are determined for at least one concept in		
8	the set of concepts;		
9	searching the document to identify occurrences of one or more text patterns from		
10	the set of text patterns in the document; and		
11	displaying the document using the browser such that the occurrences of the text		
12	patterns in the document are annotated.		
1	2. (Previously Presented) The method of claim 1 wherein the browser is an		
2	Internet Explorer browser and the searching uses information about the document stored in a		
3	Document Object Model configured by the Internet Explorer browser.		
1	3. (Canceled)		
1	4. (Previously Presented) The method of claim 1 wherein:		
2	the browser is an Internet Explorer browser; and		
3	the searching is performed using methods provided by an IHTMLTxtRange		
4	interface.		
1	5 (Previously Presented) The method of claim 1 wherein:		

2	the browser is an Internet Explorer browser; and
3	the searching is performed using methods provided by an IMarkupServices
1	interface.
l	6. (Previously Presented) The method of claim 1 further comprising marking
2	the occurrences of the text patterns in the document by inserting annotation tags in front of and
3	after each occurrence of a text pattern in the document, wherein the annotation tags for each
1	occurrence of a text pattern identify the concept with which the text pattern is associated.
l	7. (Previously Presented) The method of claim 6 wherein displaying the
2	document comprises:
3	for each occurrence of a text pattern from the set of text patterns in the document:
1	determining the concept with which the text pattern occurrence is
5	associated based upon the annotation tags surrounding the text pattern occurrence;
5	determining style information to be used for annotating the text pattern
7	occurrence, wherein the style information is associated with the concept with which the text
3	pattern is associated; and
)	annotating the text pattern occurrence based on the style information.
l	8. (Previously Presented) The method of claim 7 wherein annotating the text
2	pattern occurrence comprises highlighting the text pattern occurrence in a color indicated by the
3	style information.
l	9. (Previously Presented) The method of claim 1 further comprising:
2	calculating a score for each concept in the set of concepts, the score indicating
3	relevance of the document to the concept; and
4	displaying a relevance indicator for each concept in the set of concepts based on
5	the score for the concept.
1	10. (Previously Presented) The method of claim 9 wherein calculating the
2	score for each concept in the set of concepts comprises:

3	for each concept in the set of concepts:
4	determining frequency of the occurrences of text patterns associated with
5	the concept in the document; and
6	calculating the score based on the frequency of the occurrences of the text
7	patterns.
1	11. (Currently Amended) A computer-implemented method of displaying a
2	multi-page a document using a browser, the method comprising:
3	accessing a multi-page document;
4	displaying a section of the multi-page document in a first viewing area of a
5	display;
6	extracting contents of the multi-page document, the contents comprising text and
7	one or more elements;
8	displaying a single thumbnail image in a second viewing area of the display based
9	on the contents extracted from the multi-page document, the single thumbnail image displaying
10	the contents of the multi-page document in a continuous form; and
11	emphasizing an area of the single thumbnail image corresponding to the section of
12	the multi-page document displayed in the first viewing area[[.]]; and
13	dynamically changing the single thumbnail image to reflect a change in the
14	display of the document in the first viewing area.
1	12. (Currently Amended) The method of claim 11 wherein:
2	extracting the contents of the multi-page document comprises:
3	determining dimension information for the contents; and
4	determining coordinate information for the contents; and
5	displaying the single thumbnail image comprises:
6	displaying the contents in the single thumbnail image based on the
7	dimension and coordinate information for the contents.

1		13.	(Previously Presented) The method of claim 12 wherein displaying the
2	contents in the single thumbnail image based on the dimension and coordinate information for		
3	the contents co		
4		for eac	ch content:
5			determining position of the content in the single thumbnail image by
6	dividing the co	ordina	te and dimension information for the content by a reduction ratio.
1		14.	(Currently Amended) The method of claim 11 wherein extracting the
2	contents of the	multi	page document comprises:
3		extrac	ting one or more text entities contained in the multi-page document;
4		detern	nining dimension and coordinate information for the one or more text
5	entities;		
6		detern	nining if the one or more text entities are relevant to one or more concepts
7	from a set of c	oncept	s; and
8		associ	ating each text entity that is relevant to a concept with style information for
9	the concept, w	herein	the style information for a concept indicates a manner of annotating text
10	entities which	are rel	evant to the concept.
1		15.	(Previously Presented) The method of claim 14 wherein displaying the
2	single thumbna	ail ima	ge comprises:
3		for ea	ch text entity that is relevant to a concept from the set of concepts,
4	displaying the	text er	tity in the single thumbnail image using the style information for the
5	concept.		
1		16	(Currently Amended) The method of claim 15 further comprising:
1		16.	
2			ying the style information for a concept thereby changing the appearance of
_ 3			ved in the first viewing area;
4		•	conse to the modification:
5	•	where	in dynamically changing the single thumbnail image comprises:

6	identifying text entities in the multi-page document which are relevant to		
7	the concept; and		
8	dynamically changing the display of the identified text entities in the		
9	single thumbnail image based on the to reflect the modified style information.		
1	17. (Currently Amended) The method of claim 11 wherein extracting the		
2	contents of the multi-page document comprises:		
3	extracting one or more forms contained in the multi-page document; and		
4	determining dimension and coordinate information for the one or more forms.		
1	18. (Currently Amended) The method of claim 11 wherein extracting the		
2	contents of the multi-page document comprises:		
3	extracting one or more image elements contained in the multi-page document; and		
4	determining dimension and coordinate information for the one or more image		
5	elements.		
1	(Currently Amended) A computer-implemented method of displaying a		
1 2	19. (Currently Amended) A computer-implemented method of displaying a multi-page document using a browser, the method comprising:		
2	multi-page document using a browser, the method comprising:		
2	multi-page document using a browser, the method comprising: accessing the multi-page document;		
2 3 4	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts;		
2	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of		
2 3 4	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts;		
2 3 4 5	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of		
2 3 4 5 6	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of text patterns comprising one or more text patterns associated with the one or more concepts in		
2 3 4 5 6 7	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of text patterns comprising one or more text patterns associated with the one or more concepts in the set of concepts, wherein a plurality of text patterns are determined for at least one concept in		
2 3 4 5 6 7 8	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of text patterns comprising one or more text patterns associated with the one or more concepts in the set of concepts, wherein a plurality of text patterns are determined for at least one concept in the set of concepts;		
2 3 4 5 6 7 8 9	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of text patterns comprising one or more text patterns associated with the one or more concepts in the set of concepts, wherein a plurality of text patterns are determined for at least one concept in the set of concepts; searching the multi-page document to identify occurrences of one or more text		
2 3 4 5 6 7 8 9	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of text patterns comprising one or more text patterns associated with the one or more concepts in the set of concepts, wherein a plurality of text patterns are determined for at least one concept in the set of concepts; searching the multi-page document to identify occurrences of one or more text patterns from the set of text patterns in the document;		
2 3 4 5 6 7 8 9 10	multi-page document using a browser, the method comprising: accessing the multi-page document; receiving information identifying a set of one or more concepts; determining a set of text patterns associated with the set of concepts, the set of text patterns comprising one or more text patterns associated with the one or more concepts in the set of concepts, wherein a plurality of text patterns are determined for at least one concept in the set of concepts; searching the multi-page document to identify occurrences of one or more text patterns from the set of text patterns in the document; displaying a section of the multi-page document in a first viewing area of a		

15	displaying a single thumbnail image in a second viewing area of the display based		
16	on the contents extracted from the multi-page document, the single thumbnail image displaying		
17	the contents of the multi-page document in a continuous form; and		
18	emphasizing an area of the single thumbnail image corresponding to the section of		
19	the multi-page document displayed in the first viewing area.		
1	20. (Currently Amended) A system for displaying a document using a		
2	browser, the system comprising:		
. 3	a processor; and		
4	a memory coupled to the processor and configured to store a plurality of modules		
5	for execution by the processor, the plurality of modules module including:		
6	a module for accessing the document;		
7	a module for receiving information identifying a set of one or more		
8	concepts;		
9	a module for determining a set of text patterns associated with the set of		
10	concepts, the set of text patterns comprising one or more text patterns associated with the one or		
11	more concepts in the set of concepts, wherein a plurality of text patterns are determined for at		
12	least one concept in the set of concepts;		
13	a module for searching the document to identify occurrences of one or		
14	more text patterns from the set of text patterns in the document; and		
15	a module for displaying the document using the browser such that the		
16	occurrences of the text patterns in the document are annotated.		
1	21. (Previously Presented) The system of claim 20 wherein the browser is an		
2	Internet Explorer browser and the module for searching uses information about the document		
3	stored in a Document Object Model configured by the Internet Explorer browser.		
1	22. (Canceled)		
1	23. (Previously Presented) The system of claim 20 wherein:		

2	the browser is an Internet Explorer browser; and
3	the module for searching uses methods provided by an IHTMLTxtRange
4	interface.
1	24. (Previously Presented) The system of claim 20 wherein:
2	the browser is an Internet Explorer browser; and
3	the module for searching uses methods provided by an IMarkupServices interface.
1	25. (Previously Presented) The system of claim 20 wherein the plurality of
2	modules comprises a module for marking the occurrences of the text patterns from the set of text
3	patterns in the document by inserting annotation tags in front of and after each occurrence of a
4	text pattern in the, wherein the annotation tags for each occurrence of a text pattern identify the
5	concept with which the text pattern is associated.
1	26. (Previously Presented) The system of claim 25 wherein the module for
2	displaying the document comprises:
3	for each occurrence of a text pattern from the set of text patterns in the document:
4	a module for determining the concept with which the text pattern
5	occurrence is associated based upon the annotation tags surrounding the text pattern occurrence;
6	a module for determining style information to be used for annotating the
7	text pattern occurrence, wherein the style information is associated with the concept with which
8	the text pattern is associated; and
9	a module for annotating the text pattern occurrence based on the style
10	information.
1	27. (Previously Presented) The system of claim 26 wherein the module for
2	annotating the text pattern occurrence comprises a module for highlighting the text pattern
3	occurrence in a color indicated by the style information.
1	28. (Previously Presented) The system of claim 20 wherein the plurality of
2	modules stored in the memory further comprises:

3	a module for calculating a score for each concept in the set of concepts, the score		
4	indicating relevance of the document to the concept; and		
5	a module for displaying a relevance indicator for each concept in the set of		
6	concepts based on the score for the concept.		
1	29. (Previously Presented) The system of claim 28 wherein the module for		
2	calculating the score for each concept in the set of concepts comprises:		
3	for each concept in the set of concepts:		
4	a module for determining frequency of the occurrences of text patterns		
5	associated with the concept in the document; and		
6	a module for calculating the score based on the frequency of the		
7	occurrences of the text patterns.		
1	30. (Currently Amended) A system for displaying a multi-page document		
2	using a browser, the system comprising:		
3	a processor; and		
4	a memory coupled to the processor and configured to store a plurality of modules		
5	for execution by the processor, the plurality of modules module including:		
6	a module for accessing a multi-page document;		
7	a module for displaying a section of the multi-page document in a first		
8	viewing area of a display;		
9	a module for extracting contents of the multi-page document, the contents		
10	comprising text and one or more elements;		
11	a module for displaying a single thumbnail image in a second viewing area		
12	of the display based on the contents extracted from the multi-page document, the single		
13	thumbnail image displaying the contents of the multi-page document in a continuous form; and		
14	a module for emphasizing an area of the single thumbnail image		
15	corresponding to the section of the multi-page document displayed in the first viewing area[[.]];		
16	<u>and</u>		

17

18	change in the display of the document in the first viewing area.	
1	31. (Currently Amended) The system of claim 30 wherein:	
2	the module for extracting the contents of the multi-page document com	prises:
3	a module for determining dimension information for the conten	ts; and
4	a module for determining coordinate information for the conten	ts; and
5	the module for displaying the single thumbnail image comprises:	
6	a module for displaying the contents in the single thumbnail im-	age based
7	on the dimension and coordinate information for the contents.	
1	32. (Previously Presented) The system of claim 31 wherein the mo	dule for
2	displaying the contents in the single thumbnail image based on the dimension and coo	rdinate
3.	information for the contents comprises:	
4	for each content:	
5	a module for determining position of the content in the single th	umbnail
6	image by dividing the coordinate and dimension information for the content by a redu	ction ratio.
1	33. (Currently Amended) The system of claim 30 wherein the mod	ule for
2	extracting the contents of the multi-page document comprises:	
3	a module for extracting one or more text entities contained in the multi-	- page
4	document;	
5	a module for determining dimension and coordinate information for the	one or
6	more text entities;	
7	a module for determining if the one or more text entities are relevant to	one or
8	more concepts from a set of concepts; and	
9	a module for associating each text entity that is relevant to a concept w	ith style
10	information for the concept, wherein the style information for a concept indicates a ma	inner of
11	annotating text entities which are relevant to the concept.	

a module for dynamically changing the single thumbnail image to reflect a

1	34. (Previously Presented) The system of claim 33 wherein the module for		
2	displaying the single thumbnail image comprises:		
3	a module for displaying each text entity in the single thumbnail image that is		
4	elevant to a concept from the set of concepts using the style information for the concept.		
1	35. (Currently Amended) The system of claim 34 wherein the plurality of		
2	nodules stored in the memory further comprises:		
3	a module for modifying the style information for a concept;		
4	in response to the modification:		
5	a module for identifying text entities in the multi-page document which		
6	re relevant to the concept; and		
7	a module for dynamically changing the display of the identified text		
8	entities in the single thumbnail image based on the modified style information.		
1	36. (Currently Amended) The system of claim 30 wherein the module for		
2	extracting the contents of the multi-page document comprises:		
3	a module for extracting one or more forms contained in the multi-page documen	t;	
4	nd		
5	a module for determining dimension and coordinate information for the one or		
6	nore forms.		
1	37. (Currently Amended) The system of claim 30 wherein the module for		
2	extracting the contents of the multi-page document comprises:		
3	a module for extracting one or more image elements contained in the multi-page		
4	locument; and		
5	a module for determining dimension and coordinate information for the one or		
6	nore image elements.		
1	38. (Currently Amended) A system for displaying a multi-page document		
2	sing a browser, the system comprising:		

3	a processor; and
4	a memory coupled to the processor and configured to store a plurality of modules
5	for execution by the processor, the plurality of modules module including:
6	a module for accessing the multi-page document;
7	a module for receiving information identifying a set of one or more
8	concepts;
9	a module for determining a set of text patterns associated with the set of
10	concepts, the set of text patterns comprising one or more text patterns associated with the one or
11	more concepts in the set of concepts, wherein a plurality of text patterns are determined for at
12	least one concept in the set of concepts;
13	a module for searching the multi-page document to occurrences of one or
14	more text patterns from the set of text patterns in the document;
15	a module for displaying a section of the multi-page document in a first
16	viewing area of a display such that the occurrences of the text patterns in the multi-page
17	document are annotated;
18	a module for extracting contents of the multi-page document, the contents
19	comprising text and one or more elements;
20	a module for displaying a single thumbnail image in a second viewing area
21	of the display based on the contents extracted from the multi-page document, the single
22	thumbnail image displaying the contents of the multi-page document in a continuous form; and
23	a module for emphasizing an area of the single thumbnail image
24	corresponding to the section of the multi-page document displayed in the first viewing area.
1	39. (Currently Amended) A computer program product stored on a computer
2	readable storage medium for displaying a document using a browser, the computer program
3	product comprising:
4	code for receiving accessing the document;
5	code for receiving information identifying a set of one or more concepts;

6	code for determining a set of text patterns associated with the set of concepts, the		
7	set of text patterns comprising one or more text patterns associated with the one or more		
8	concepts in the set of concepts, wherein a plurality of text patterns are determined for at least one		
9	concept in the set of concepts;		
10	code for searching the document to identify occurrences of one or more text		
11	patterns from the set of text patterns in the document; and		
12	code for displaying the document using the browser such that the occurrences of		
13	the text patterns in the document are annotated.		
1	40. (Currently Amended) A computer program product stored on a computer		
2	readable storage medium for displaying a multi-page document using a browser, the computer		
3	program product comprising:		
4	code for accessing a multi-page document;		
5	code for displaying a section of the multi-page document in a first viewing area of		
6	a display;		
7	code for extracting contents of the multi-page document, the contents comprising		
8	text and one or more elements;		
9	code for displaying a single thumbnail image in a second viewing area of the		
10	display based on the contents extracted from the multi-page document, the single thumbnail		
11	image displaying the contents of the multi-page document in a continuous form; and		
12	code for emphasizing an area of the single thumbnail image corresponding to the		
13	section of the multi-page document displayed in the first viewing area[[.]]; and		
14	code for dynamically changing the single thumbnail image to reflect a change in		
15	the display of the document in the first viewing area.		
1	41. (Currently Amended) A computer program product stored on a computer		
2	readable storage medium for displaying a multi-page document using a browser, the computer		
3	program product comprising:		
4	code for accessing the multi-page document;		
5	code for receiving information identifying a set of one or more concepts;		

PATENT

code for determining a set of text patterns associated with the set of concepts, the
set of text patterns comprising one or more text patterns associated with each concept in the set
of concepts, wherein a plurality of text patterns are determined for at least one concept in the set
of concepts;
code for searching the multi-page document to identify occurrences of one or
more text patterns from the set of text patterns in the document;
code for displaying a section of the multi-page document in a first viewing area of
a display such that the occurrences of the text patterns in the multi-page document are annotated;
code for extracting contents of the multi-page document, the contents comprising
text and one or more elements;
code for displaying a single thumbnail image in a second viewing area of the
display based on the contents extracted from the multi-page document, the single thumbnail
image displaying the contents of the multi-page document in a continuous form; and
code for emphasizing an area of the single thumbnail image corresponding to the
section of the multi-page document displayed in the first viewing area.